

Spot Audit: Donning & Doffing Station.

Personal & Clinical Care Standard 3.g.i (Aged care)

Date: Click or tap to enter a date.

Site:

Auditor:

Donning Station:	Yes ✓ No ✗ (score ✓ if not applicable)	Station Location:				
1	Is donning station 1.5 metres away from doffing station					
2	Is there a general waste bin					
3	Is there more than 4 types of P2 to choose from					
4	Is there eye protection					
5	Is ABHR on the station					
6	Is a donning poster displayed					
7	Is there a mirror that is in a suitable position- for fit checking mask					
8	Is there surgical masks available					
9	Is there gowns available					
10	Is there gloves available					
Doffing station:						
11	Is doffing station 1.5 metres away from donning station					
12	Is a doffing poster displayed					
13	Is there ABHR					
14	Are there sanitizing wipes – for cleaning reusable eyewear					
15	Is there a PPE waste bin with a hands-free opening					
16	Is there a container/tray to put reusable eyewear in once doffed.					
17	Is there enough room for staff to doff without contaminating themselves/environment					
% score for compliance - $\frac{\text{total number of yes \& N/A answers}}{\text{total number of questions}} \times 100 =$		%				
Feedback (add actions identified for QI).						

Reference:

VDH COVID-19 infection prevention and control guidelines v7.2 March 2022
 Section 7.4.1 Donning & Doffing Stations

Version 1.1 Dec 2022